

RMC

1. Rectangular Base M10 Climbing Wall T-Nuts



| | |
|-----------------------------|--|
| Description | Rectangular Base Climbing Wall T-Nuts |
| Thread size | 3/8' , M10 |
| Surface | Yellow Zinc Plated, White Zinc plated Cr3 |
| Material | Carbon steel /304 stainless steel |
| MOQ | 20 000pcs |
| Barrel length | 20mm±0.5 / 12mm±0.5 |
| Base diameter | 40x25mm / 40x25mm |
| Material Thickness | 2.0mm±0.2 / 2.0mm±0.2 |
| Min Tensile Strength | 320Mpa / 515Mpa |
| Application | Commerical and Industrial Climbing Gym |

RMC

2. Round Base M10 Climbing Wall T-Nuts



| | |
|---------------------------|---|
| Description | Round base t-nuts |
| Thread size | 3/8' , M10 |
| Surface | Yellow Zinc Plated, White Zinc plated Cr3 |
| Material | Carbon steel /304 stainless steel |
| MOQ | 20 000pcs |
| Barrel length | 20mm±0.5 / 11mm±0.5 |
| Base diameter | 39.5mm±0.5 / 25mm±0.5 |
| Material Thickness | 2.0mm±0.2 / 2.0mm±0.2 |
| Base diameter | 5.5mm±0.5 / 3.5mm±0.5 |
| Application | Climbing Wall building at home, personal applicaion or commerical application |

RMC

3. 4 Pronged Climbing Wall T-Nuts



| | |
|---------------------------|---|
| Description | 4 Pronged Climbing Wall T-Nuts |
| Thread size | 3/8' , M10 |
| Surface | Yellow Zinc Plated, White Zinc plated Cr3 |
| Raw Material | Carbon steel /304 stainless steel |
| MOQ | 20 000pcs |
| Barrel length | 12mm±0.5 |
| Base diameter | 22mm±0.5 |
| Material Thickness | 2.0mm±0.2 |
| Application | Climbing Wall at home/on backyard, not for commercial or industrial gym |
| Quality Assurance | Raw Material Certificate, SGS Test Reopt |

Note: As a manufacturer, we also produce as per your design, if you need another base type which is not included above, just drop us an email or call us directly. We will offer you a satisfactory solution.